

Product	Size	Catalog	US\$
ABD-F [4-Fluoro-7-aminosulfonylbenzofurazan]	10 mg	81401	\$69
AFC 7-Amino-4-(trifluoromethyl)coumarin	1 g	23480	\$30
AFC 7-Amino-4-(trifluoromethyl)coumarin	5 g	23481	\$120
AMC 7-Amino-4-methylcoumarin	1 g	23482	\$30
AMC 7-Amino-4-methylcoumarin	5 g	23483	\$120
AMCA-X [6-((7-Amino-4-methylcoumarin-3-acetyl)amino)hexanoic acid]	25 mg	81207	\$69
AMCA-X, SE [6-((7-Amino-4-methylcoumarin-3-acetyl)amino)hexanoic acid, succinimidyl ester]	10 mg	81208	\$69
AMF 4''-(Aminomethyl)fluorescein, hydrochloride	25 mg	81512	\$95
2-Aminoacridone	25 mg	81513	\$49
1-Aminomethylpyrene, hydrochloride	100 mg	81522	\$49
ANDS [7-Aminonaphthalene-1,3-disulfonic acid, potassium salt]	1 g	81529	\$49
1,8-ANS 1-Anilinonaphthalene-8-sulfonic acid	100 mg	21733	\$98
ANTS [8-Aminonaphthalene-1,3,6-trisulfonic acid, disodium salt] *UltraPure Grade*	100 mg	81528	\$49
APTS [8-Aminopyrene-1,3,6-trisulfonic acid, trisodium salt]	10 mg	81523	\$75
Badan [6-Bromoacetyl-2-dimethylaminonaphthalene]	10 mg	81420	\$49
bBBR [Dibromobimane] *UltraPure Grade*	25 mg	81448	\$49
mBBR [Monobromobimane] *UltraPure Grade*	25 mg	81433	\$49
5-(and-6)-Carboxy-2	100 mg	81015	\$49
5-(and-6)-Carboxy-2	25 mg	81016	\$95
5(6)-CR110 [5-(and-6)-Carboxyrhodamine 110, hydrochloride]	25 mg	81131	\$95
5-CR110 [5-Carboxyrhodamine 110, hydrochloride]	5 mg	81132	\$95
6-CR110 [6-Carboxyrhodamine 110, hydrochloride]	5 mg	81133	\$95
5(6)-CR110, SE [5-(and-6)-Carboxyrhodamine 110, succinimidyl ester]	5 mg	81134	\$145
5-CR110, SE [5-Carboxyrhodamine 110, succinimidyl ester]	5 mg	81135	\$195
6-CR110, SE [6-Carboxyrhodamine 110, succinimidyl ester]	5 mg	81136	\$195
5(6)-CR6G [5-(and-6)-Carboxyrhodamine 6G, hydrochloride]	25 mg	81101	\$95
5-CR6G [5-Carboxyrhodamine 6G, hydrochloride]	10 mg	81102	\$95
6-CR6G [6-Carboxyrhodamine 6G, hydrochloride]	10 mg	81103	\$95
5(6)-CR6G, SE [5-(and-6)-Carboxyrhodamine 6G, succinimidyl ester]	10 mg	81104	\$95
5-CR6G, SE [5-Carboxyrhodamine 6G, succinimidyl ester]	5 mg	81105	\$145
6-CR6G, SE [6-Carboxyrhodamine 6G, succinimidyl ester]	5 mg	81106	\$145
DACIA [N-(7-Dimethylamino-4-methylcoumarin-3-yl)iodoacetamide]	10 mg	81402	\$95
DACITC [7-Dimethylamino-4-methylcoumarin-3-isothiocyanate]	10 mg	81216	\$49
DACM [N-(7-Dimethylamino-4-methylcoumarin-3-yl)maleimide]	10 mg	81403	\$95
Dansyl cadaverine [5-Dimethylaminonaphthalene-1-(N-(5-aminopentyl))sulfonamide]	25 mg	81501	\$49
Dansyl chloride [5-Dimethylaminonaphthalene-1-sulfonyl chloride] [5-Dimethylaminonaphthalene-1-sulfonyl chloride]	100 mg	81201	\$49
Dansyl-X, acid	100 mg	81209	\$49
Dansyl-X, SE	25 mg	81214	\$49

DCIA [7-Diethylamino-3-((4	25 mg	81422	\$95
DEAC, acid [7-Diethylaminocoumarin-3-carboxylic acid]	250 mg	81210	\$49
DEAC, SE [7-Diethylaminocoumarin-3-carboxylic acid, succinimidyl ester]	25 mg	81211	\$49
DMACA [7-Dimethylaminocoumarin-4-acetic acid]	100 mg	81225	\$49
DMACA, SE [7-Dimethylaminocoumarin-4-acetic acid, succinimidyl ester]	25 mg	81226	\$49
5-DTAF [5-(4,6-Dichlorotriazinyl)aminofluorescein]	25 mg	81001	\$95
6-DTAF [6-(4,6-Dichlorotriazinyl)aminofluorescein]	25 mg	81012	\$95
EDANS 5-[(2-aminoethyl)amino]naphthalene-1-sulfonic acid	0.5 g	23886	\$30
EDANS, acid [5-((2-Aminoethyl)amino)naphthalene-1-sulfonic acid]	1 g	23887	\$49
EDANS Iodoacetamide [5-(((2-Iodoacetyl)amino)ethyl)amino)naphthalene-1-sulfonic acid]	100 mg	81431	\$46
EDANS C2 maleimide	25 mg	81432	\$49
EDANS, sodium salt [5-((2-Aminoethyl)amino)naphthalene-1-sulfonic acid, sodium salt]	1 g	81535	\$95
5(6)-FAM [5-(and-6)-Carboxyfluorescein]	250 mg	81002	\$49
5-FAM [5-Carboxyfluorescein]	100 mg	81003	\$49
6-FAM [6-Carboxyfluorescein]	100 mg	81004	\$49
5-FAM cadaverine [Fluorescein-5-carboxamide cadaverine]	10 mg	81502	\$149
5-FAM LYS [Fluorescein-5-carboxamide lysine]	10 mg	81503	\$149
5(6)-FAM, SE [5-(and-6)-Carboxyfluorescein, succinimidyl ester]	25 mg	81006	\$49
5-FAM, SE [5-Carboxyfluorescein, succinimidyl ester]	10 mg	81007	\$79
6-FAM, SE [6-Carboxyfluorescein, succinimidyl ester]	10 mg	81008	\$127
5-FAM-X, SE [6-(Fluorescein-5-carboxamido)hexanoic acid, succinimidyl ester]	5 mg	81009	\$79
5-FITC Fluorescein-5-isothiocyanate (FITC 'Isomer I')	1 g	20151	\$100
5-FITC cadaverine [5-(((5-Aminopentyl)thioureidyl)fluorescein]	5 mg	81504	\$95
5-FITC [5-FITC; fluorescein-5-isothiocyanate]	100 mg	81005	\$49
6-FITC [6-FITC; fluorescein-6-isothiocyanate]	100 mg	81010	\$49
Fluorescamine *UltraPure Grade*	25 mg	81202	\$49
Fluorescein-5-maleimide	25 mg	81405	\$125
5-FTSC [Fluorescein-5-thiosemicarbazide]	25 mg	81505	\$49
H2DCFDA 2',7'-Dichlorodihydrofluorescein diacetate	100 mg	21731	\$55
6-HEX, acid [6-carboxy-2",4,4",5",7,7"-hexachlorofluorescein]	100 mg	81019	\$145
HiLyte Fluor™ 488 acid	10 mg	81160	\$195
HiLyte Fluor™ 555 acid	10 mg	81250	\$295
HiLyte Fluor™ 647 acid	5 mg	81255	\$395
HiLyte Fluor™ 680 acid	5 mg	81260	\$395
HiLyte Fluor™ 750 acid	5 mg	81265	\$395
HiLyte Fluor™ 488 acid, SE	5 mg	81161	\$295
HiLyte Fluor™ 555 acid, SE	5 mg	81251	\$295
HiLyte Fluor™ 647 acid, SE	1 mg	81256	\$145
HiLyte Fluor™ 680 acid, SE	1 mg	81261	\$195
HiLyte Fluor™ 750 acid, SE	1 mg	81266	\$195
HiLyte Fluor™ 488 amine	1 mg	81162	\$195
HiLyte Fluor™ 555 amine	1 mg	81252	\$145
HiLyte Fluor™ 680 amine	1 mg	81262	\$195
HiLyte Fluor™ 750 amine	1 mg	81267	\$195

HiLyte Fluor™ 488 C2 maleimide	1 mg	81164	\$195
HiLyte Fluor™ 555 C2 maleimide	1 mg	81254	\$145
HiLyte Fluor™ 647 C2 maleimide	1 mg	81259	\$145
HiLyte Fluor™ 680 C2 maleimide	1 mg	81264	\$195
HiLyte Fluor™ 750 C2 maleimide	1 mg	81269	\$195
HiLyte Fluor™ 488 hydrazide	1 mg	81163	\$195
HiLyte Fluor™ 555 hydrazide	1 mg	81253	\$145
HiLyte Fluor™ 647 hydrazide	1 mg	81258	\$145
HiLyte Fluor™ 680 hydrazide	1 mg	81263	\$195
HiLyte Fluor™ 750 hydrazide	1 mg	81268	\$195
7-Hydroxycoumarin-3-carboxylic acid	1 mg	81205	\$95
7-Hydroxycoumarin-3-carboxylic acid, succinimidyl ester	50 mg	81206	\$95
7-Hydroxy-4-methylcoumarin-3-acetic acid	100 mg	81235	\$75
HiLyte Fluor™ 647 amine	1 mg	81257	\$145
6-HEX, SE [6-carboxy-2",4,4",5",7,7"-hexachlorofluorescein, succinimidyl ester]	5 mg	81020	\$145
7-Hydroxy-4-methylcoumarin-3-acetic acid, succinimidyl ester	25 mg	81239	\$95
5-IAF [5-Iodoacetamidofluorescein]	25 mg	81406	\$95
IANBD amide [N,N	25 mg	81425	\$95
IDCC [7-Diethylamino-3-(((2-iodoacetamido)ethyl)amino)carbonyl)coumarin]	25 mg	81421	\$95
6-JOE, SE [6-Carboxy-4",5"-dichloro-2",7"-dimethoxyfluorescein, succinimidyl ester]	5 mg	81011	\$172
LRB-EDA [Lissamine™ rhodamine B ethylenediamine]	10 mg	81530	\$149
LRB-SC [Lissamine™ rhodamine B sulfonyl chloride]	100 mg	81108	\$49
Mca 7-Methoxycoumarin-4-acetic acid	1 g	23484	\$60
7-Methoxycoumarin-3-carbonyl azide	25 mg	81240	\$49
7-Methoxycoumarin-3-carboxylic acid	250 mg	81241	\$75
7-Methoxycoumarin-3-carboxylic acid, succinimidyl ester	25 mg	81242	\$49
Mca 7-Methoxycoumarin-4-acetic acid	5 g	23485	\$240
NBD-Cl [4-Chloro-7-nitrobenzofurazan] *UltraPure Grade*	100 mg	81203	\$49
NBD-F [4-Fluoro-7-nitrobenzofurazan]	25 mg	81204	\$95
NBD lysine	25 mg	81516	\$49
NBD-X [6-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)hexanoic acid]	100 mg	81212	\$49
NBD-X, SE [Succinimidyl 6-(N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)amino)hexanoate]	25 mg	81213	\$75
1-Pyrenebutanoic acid	100 mg	81236	\$49
1-Pyrenebutanoic acid, hydrazide	100 mg	81237	\$75
1-Pyrenebutanoic acid, succinimidyl ester	100 mg	81238	\$49
N-(1-Pyrenemethyl)iodoacetamide	25 mg	81435	\$75
N-(1-Pyrene)maleimide	100 mg	81436	\$49
PMIA 1-Pyrenesulfonyl chloride	100 mg	81244	\$49
5(6)-ROX [5-(and-6)-Carboxy-X-rhodamine]	100 mg	81110	\$95
5-ROX [5-Carboxy-X-rhodamine]	10 mg	81111	\$79
6-ROX [6-Carboxy-X-rhodamine]	10 mg	81112	\$89
5(6)-ROX, SE [5-(and-6)-Carboxy-X-rhodamine, succinimidyl ester]	25 mg	81113	\$145
5-ROX, SE [5-Carboxy-X-rhodamine, succinimidyl ester]	5 mg	81114	\$145
6-ROX, SE [6-Carboxy-X-rhodamine, succinimidyl ester]	5 mg	81115	\$145

ISBF-C	25 mg	81408	\$89
SBF-F [4-Fluoro-7-sulfobenzofurazan, ammonium salt]	10 mg	81409	\$89
Sulforhodamine 101 C2 maleimide	5 mg	81447	\$89
Sulforhodamine 101 cadaverine	5 mg	81510	\$149
Sulforhodamine 101 hydrazide	5 mg	81540	\$149
Sulforhodamine 101 lysine	5 mg	81511	\$169
Sulforhodamine 101 sulfonyl chloride	10 mg	81130	\$79
5(6)-TAMRA [5-(and-6)-Carboxytetramethylrhodamine]	25 mg	81120	\$49
5-TAMRA [5-Carboxytetramethylrhodamine]	10 mg	81121	\$79
6-TAMRA [6-Carboxytetramethylrhodamine]	10 mg	81122	\$79
5(6)-TAMRA cadaverine [Tetramethylrhodamine 5-(and -6)-carboxamide cadaverine]	10 mg	81506	\$99
5-TAMRA cadaverine [Tetramethylrhodamine-5-carboxamide cadaverine]	5 mg	81507	\$79
6-TAMRA cadaverine [Tetramethylrhodamine 6-carboxamide cadaverine]	5 mg	81508	\$99
5-TAMRA Lysine [Tetramethylrhodamine-5-carboxamide lysine]	5 mg	81509	\$149
5(6)-TAMRA, SE [5-(and-6)-Carboxytetramethylrhodamine, succinimidyl ester]	25 mg	81124	\$99
[5-Carboxytetramethylrhodamine, succinimidyl ester]	5 mg	81125	\$99
6-TAMRA, SE [6-Carboxytetramethylrhodamine, succinimidyl ester] 5 mg	5 mg	81126	\$99
5(6)-TAMRA-X, SE [6-(Tetramethylrhodamine-5-(and-6)-carboxamido) hexanoic acid, succinimidyl ester]	5 mg	81127	\$79
6-TET, acid [6-Carboxy-2	25 mg	81021	\$95
6-TET, SE [6-Carboxy-2	5 mg	81022	\$145
Tetramethylrhodamine-5-(and-6)-maleimide	25 mg	81444	\$95
Tetramethylrhodamine-5-maleimide	5 mg	81446	\$95
Tetramethylrhodamine-6-maleimide	5 mg	81445	\$95
5-TMRIA [Tetramethylrhodamine-5-iodoacetamide]	5 mg	81410	\$129
2,6-TNS 2-(p-Toluidinyl)naphthalene-6-sulfonic acid, sodium salt	100 mg	21735	\$58
5(6)-TRITC [Tetramethylrhodamine-5-(and-6)-isothiocyanate]	10 mg	81150	\$75
5-TRITC; G isomer [Tetramethylrhodamine-5-isothiocyanate]	5 mg	81151	\$75
6-TRITC; R isomer [Tetramethylrhodamine-6-isothiocyanate]	5 mg	81152	\$75
EthD-1 [Ethidium homodimer-1]	1 mg	83208	\$95
EthD-2 [Ethidium homodimer-2], 1 mM solution in DMSO	200 µL	83209	\$95
Ethidium Bromide, 50 mM aqueous solution	10 mL	83222	\$95
Ethidium Bromide *UltraPure Grade*	1 g	83221	\$95
Ethidium monoazide bromide	5 mg	83214	\$95
Propidium iodide, 1.0 mg/mL solution in water	10 mL	83215	\$45
Stain-All *UltraPure Grade*	100 mg	83013	\$49
ACMA [9-Amino-6-chloro-2-methoxyacridine]	25 mg	83213	\$49
Acridine orange	1 g	83298	\$49
Acridine orange, 10 mg/mL solution in water	10 mL	83299	\$49
Acridine orange 10-nonyl bromide [Nonyl acridine orange]	25 mg	83300	\$49
DAPI [4",6-Diamidino-2-phenylindole, dihydrochloride] *Custom P	25 mg	83211	\$95
Dihydroethidium [Hydroethidine]	25 mg	85704	\$49
Dihydroethidium [Hydroethidine], 5 mM solution in DMSO	1 mL	85718	\$95
Hoechst 34580	5 mg	83216	\$75

Methylene Blue *UltraPure Grade*	1 g	83239	\$49
Methyl Green *UltraPure Grade*	1 g	83238	\$49
Pyronin Y *UltraPure Grade*	100 mg	83237	\$49
Thiazole Orange *UltraPure Grade*	100 mg	83227	\$49
Aminoallyl dUTP [5-(3-Aminoallyl)-2'-deoxyuridine 5'-triphosphate]	1 mg	83202	\$85
Aminoallyl dUTP *UltraPure Grade* *Custom Packaging*	1 mg	83205	\$145
ARP [N-(Aminooxyacetyl)-N''-(D- biotinoyl) hydrazine, trifluoroacetate]	10 mg	60645	\$75
BrdU [5-Bromo-2'-deoxyuridine]	25 mg	83224	\$49
BrdUTP [5-Bromo-2'-deoxyuridine 5'-triphosphate], 10 mM in TE buffer	100 uL	83225	\$195
BrdUTP w/out deoxyuridine5'	100 uL	83226	\$195
HiLyte Fluor™ Amine-Reactive Dye, 5-Pack HiLyte Fluor™ 488, 50.1 mg		71238	\$195
HiLyte Fluor™ Amine-Reactive Dye, 5-Pack HiLyte Fluor™ 555, 50.1 mg		71239	\$195
HiLyte Fluor™ Amine-Reactive Dye, 5-Pack HiLyte Fluor™ 647, 50.1 mg		71240	\$195
Hoechst 33580 *20 mM solution in water*	5 mL	83217	\$45
7-AAD [7-Aminoactinomycin D]	1 mg	83201	\$75
Propidium iodide	25 mg	83212	\$45
Actinomycin D	5 mg	83200	\$75
DAPI [4'',6-Diamidino-2-phenylindole, dihydrochloride]	10 mg	83210	\$49
Hoechst 33258, 20 mM solution in water	5 mL	83219	\$45
Hoechst 33342, 20 mM solution in water	5 mL	83218	\$45
Aminoallyl dUTP, 4 mM in TE buffer	250 mL	83206	\$75
Aminoallyl dUTP, 4 mM in TE buffer *UltraPure Grade*	250 mL	83203	\$95
Aminoallyl dUTP *UltraPure Grade*	1 mg	83204	\$125
Aminoallyl UTP [5-(3-Aminoallyl)-uridine 5'-triphosphate, trisodium salt]	1 mg	83207	\$95

Order Instruction:

Fax PO to 1-484-233-2277

Contact Martin for detail on how to use Credit Card, or set up an standing order account.